# 2550 Intro to cybersecurity

Ran Cohen & abhi shelat

11

let us introduce ourselves first goal: create an amazing learning experience second goal: instill enthusiasm for this area third goal: help prepare you for a job in security



TAs: Jack Doerner, Yash Kondi, Nathan, David,

### Pre-requisites, there should be none

## Why study this field?

crypto, security principles Fundamental

Adversaries are sophisticated

Skill is critical



### https://shelat.khoury.neu.edu/cy2550/

Piazza: https://piazza.com/northeastern/fall2020/cy2550

### Goals

- Fundamental understanding about cybersecurity
  - Ability to "think like an attacker" and model threats
  - Knowing essential security principles, practices, and tools
  - Grappling with ethical, legal, and social issues
- Focus on software and tools
  - Not hardware
  - Minimal theory

Project-centric, hands on experience

• Real projects that build concrete skills

# A study of failures

Failure of Operation HUMAN

Failure of Implementation —

Failure of Design hash functions fori Failure of Abstraction

The New Hork Times

### Data Breach at Wyze Labs Exposes Information of 2.4 Million Customers

Wyze Labs executives said the data breach, which lasted 23 days, was caused by an employee's mistake.



Wyze, a company that makes budget home-security cameras, acknowledged a security breach in its system that exposed the information of 2.4 million customers. Smith Collection/Gado, via Getty Images

#### By Sandra E. Garcia

Dec. 30, 2019



#### 12-27-19 update

On December 26th at around 10:00 AM, we received a report of a data leak. We immediately restricted database access and began an investigation.

Today, we are confirming that some Wyze user data was not properly secured and left exposed from December 4th to December 26th.

We don't have all the answers yet, but we wanted to provide an update based on our investigations so far. We will be providing a detailed follow-up once we complete our investigation.

To help manage the extremely fast growth of Wyze, we recently initiated a new internal project to find better ways to measure basic business metrics like device activations, failed connection rates, etc.

We copied some data from our main production servers and put it into a more flexible database that is easier to query. This new data table was protected when it was originally created. However, a mistake was made by a Wyze employee on December 4th when they were using this database and the previous security protocols for this data were removed. We are still looking into this event to figure out why and how this happened.

The vul<u>nerability started December</u> 4th and did not involve any of our production data tables. While significant, this database only contained a subset of data. It did not contain user passwords or government-regulated personal or financial information. It did contain customer emails along with camera nicknames, WiFi SSIDs, Wyze device information, body metrics for a small number of product beta testers, and limited tokens associated with Alexa integrations.


There is no evidence that API tokens for iOS and Android were exposed, but we decided to refresh them as we started our investigation as a precautionary measure. Yesterday evening, we forced all Wyze users to log back into their Wyze account to generate new tokens. We also unlinked all 3rd party integrations which caused users to relink integrations with Alexa. The Google Assistant, and IFTTT to regain functionality of these services. As an additional step, we are taking action to improve camera security

#### FILE UNDER "DUH" —

# PSA: Don't upload your important passwords to GitHub

The same goes for private SSH keys and other sensitive credentials.

DAN GOODIN - 1/24/2013, 5:00 PM




A GitHub search showing private keys in public places.


- Sent by Russian intelligence to Clinton campaign staffers
- Podesta (campaign manager) asked IT if the mail was legit
- IT erroneously responded "this is a legitimate email"
- Account compromised, emails dumped to Wikileaks
- Massive political scandal

- > \*From:\* Google <no-reply@accounts.googlemail.com> > \*Date:\* March 19, 2016 at 4:34:30 AM EDT > \*To:\* · ta@gmail.com > \*Subject:\* \*Someone has your password\* > > Someone has your password > Hi John > > Someone just used your password to try to sign in to your Google Account @gmail.com. > > > Details: > Saturday, 19 March, 8:34:30 UTC > IP Address: 134,249,139,239 > Location: Ukraine > > Google stopped this sign-in attempt. You should change your password > immediately. > > CHANGE PASSWORD <https://bit.ly/1PibSU0> > > Best, > The Gmail Team > You received this mandatory email service announcement to update you about > important changes to your Google product or account.
- . .


- Sent by Russian intelligence to Clinton campaign staffers
- Podesta (campaign manager) asked IT if the mail was legit
- IT erroneously responded "this is a legitimate email"
- Account compromised, emails dumped to Wikileaks
- Massive political scandal



- Sent by Russian intelligence to Clinton campaign staffers
- Podesta (campaign manager) asked IT if the mail was legit
- IT erroneously responded "this is a legitimate email"
- Account compromised, emails dumped to Wikileaks
- Massive political scandal



- Sent by Russian intelligence to Clinton campaign staffers
- Podesta (campaign manager) asked IT if the mail was legit
- IT erroneously responded "this is a legitimate email"
- Account compromised, emails dumped to Wikileaks
- Massive political scandal



- Sent by Russian intelligence to Clinton campaign staffers
- Podesta (campaign manager) asked IT if the mail was legit
- IT erroneously responded "this is a legitimate email"
- Account compromised, emails dumped to Wikileaks
- Massive political scandal



> CHANGE PASSWORD <https://bit.ly/1PibSU0>

- > Best,
- > The Gmail Team

> You received this mandatory email service announcement to update you about

> important changes to your Google product or account.

# Baiting

Very simple physical attack

- 1. Preload USB keys with malware
- 2. Drop the keys in public, near victims
- 3. Wait for victims to pick up and plug in
- 4. Victim executes malware
  - Either by accident due to curiosity
  - Or autorun by the OS (e.g. Windows)




# Baiting

Very simple physical attack

- 1. Preload USB keys with malware
- 2. Drop the keys in public, near victims
- 3. Wait for victims to pick up and plug in
- 4. Victim executes malware
  - Either by accident due to curiosity
  - Or autorun by the OS (e.g. Windows)

### Mr. Robot FTW ;)





From: "Gatterbauer, Wolfgang" <<u>w.gatterbauer@northeastern.edu</u>> Date: Saturday, November 10, 2018 at 9:17 PM To: "Brodley, Carla" <<u>c.brodley@northeastern.edu</u>>, "<u>brodleycarla@gmail.com</u>" <<u>brodleycarla@gmail.com</u>> Subject: Fwd: Are you on campus?

Hi Carla,

I just got this email below from an account claiming to be you.

In case it was really sent from you (which I doubt you won't spell "Clara") feel free to call me on my cell phone 206 913 8820.

Otherwise, I assume a number of other people may have received a similar email today, not sure for what purpose...

If you prefer, I could go back and forth with that email to find out (?)

Best wishes,


---Wolfgang


Begin forwarded message:


From: "Carla E.Brodley" <<u>c.brodley1342@gmail.com</u>> Subject: Are you on campus? Date: November 10, 2018 at 8:07:46 PM EST To: wolfgang@ccis.neu.edu

Available?

Clara E.Brodley Dean - College of Computer and Information Science. 440 Huntington Avenue 202C West Village H Boston, MA 02115







# I5ssv info website attack Q All Images Videos News Maps Settings \* All Regions \* Safe Search: Moderate \* Any Time \*

#### I5ssv.info We Came Across a Package Owed to You Scam

https://www.onlinethreatalerts.com/article/2020/8/27/I5ssv-info-we-came-across-a-p... The website, I5ssv.info, is a scam and fake. The website is being used in Fake "We Found a Package from Owed to You" text messages like the one below being sent by online spammers and scammers. Therefore, recipients are asked not to click the link in the fake text messages, just delete the messages.

#### I5ssv info scam, I5ssv scam, i5ssv info scam | Scam Posts

https://scamposts.com/l5ssv-info-scam-l5ssv-scam-l5ssv-info-scam/ l5ssv info scam, l5ssv info scam. Scam Posts-August 29, 2020 0. Did you get a text message "We found a parcel from April pending for you. Please claim ownership and schedule for delivery...

#### 12scr.info We Came Across a Package Owed to You Scam

https://www.onlinethreatalerts.com/article/2020/8/26/12scr-info-we-came-across-a-p... The website, 12scr.info, is a scam and fake. The website is being used in Fake "We Found a Package from Owed to You" text messages like the one below being sent by online spammers and scammers. Therefore, recipients are asked not to click the link in the fake text messages, just delete the messages.

#### I8smk.info Parcel Pending Text Message Scam

https://www.onlinethreatalerts.com/article/2020/8/31/I8smk-info-parcel-pending-text-... "My name", we found a parcel from May pending for you. Kindly claim ownership and confirm for delivery here: I5ssv.info/QTyhVcsN2E from phone# 714-642-0818. Then only 5 days later got another similar message "My name", final alert about your USPS shipment D37L6 from 06/10/2020. Click: I8smk.info/GpEfgudrdE from 716-438-8029

### Failures in implementation



Neat block

## Failures in implementation



It was introduced into the software in 2012 and publicly disclosed in April 2014. It results from improper input validation (due to a missing <u>bounds check</u>) in the implementation of the TLS <u>heartbeat</u> extension.<sup>[3]</sup> Thus, the bug's name derives from *heartbeat*.<sup>[4]</sup>


The vulnerability is classified as a <u>buffer over-read</u>,<sup>[5]</sup> a situation where more data can be read than should be allowed.

<u>CVE-2014-0160</u>

C @	🖴 https://nvd. <b>nist.gov</b> /vuln/search/results?form_type=Basic&results_typ 🗉   🚥 😎 🏠 📃 👱 💵 🗊 👫	👫 🛛 💶 🗎 🖽
Vuln ID <del>狄</del>	Summary 🔁	CVSS Severity ථ්වි
CVE-2020-7315	DLL Injection Vulnerability in McAfee Agent (MA) for Windows prior to 5.6.6 allows local users to execute arbitrary code via careful placement of a malicious DLL. <b>Published:</b> September 10, 2020; 6:15:11 AM -0400	<i>V3.x</i> :(not available) <i>V2.0</i> :(not available)
CVE-2020-7314	Privilege Escalation Vulnerability in the installer in McAfee Data Exchange Layer (DXL) Client for Mac shipped with McAfee Agent (MA) for Mac prior to MA 5.6.6 allows local users to run commands as root via incorrectly applied permissions on temporary files. <b>Published:</b> September 10, 2020; 6:15:11 AM -0400	<i>V3.x</i> :(not available) <i>V2.0</i> :(not available)
CVE-2020-7312	DLL Search Order Hijacking Vulnerability in the installer in McAfee Agent (MA) for Windows prior to 5.6.6 allows local users to execute arbitrary code and escalate privileges via execution from a compromised folder. Published: September 10, 2020; 6:15:11 AM -0400	<i>V3.x</i> :(not available) <i>V2.0</i> :(not available)
CVE-2020-7311	Privilege Escalation vulnerability in the installer in McAfee Agent (MA) for Windows prior to 5.6.6 allows local users to assume SYSTEM rights during the installation of MA via manipulation of log files. <b>Published:</b> September 10, 2020; 6:15:10 AM -0400	<i>V3.x</i> :(not available) <i>V2.0</i> :(not available)
CVE-2020-24552	Atop Technology industrial 3G/4G gateway contains Command Injection vulnerability. Due to insufficient input validation, the device's web management interface allows attackers to inject specific code and execute system commands without privilege. <b>Published:</b> September 10, 2020; 5:15:12 AM -0400	<i>V3.x</i> :(not available) <i>V2.0</i> :(not available)
CVE-2020-25220	The Linux kernel 4.9.x before 4.9.233, 4.14.x before 4.14.194, and 4.19.x before 4.19.140 has a use-after-free because skcd->no_refcnt was not considered during a backport of a CVE-2020-14356 patch. This is related to the cgroups feature.	<i>V3.x:</i> (not available) <i>V2.0</i> :(not available)

Published: September 09, 2020; 10:15:11 PM -0400

## Failures in Implementation



"Shellshock" Bash Security Update Security researchers have recently discovered vulnerabilities in Bash, referred to as Shellshock or the Bash bug. The problem is serious. Bash is used in millions of computers, giving attackers the opportunity to execute arbitrary commands on web servers and potentially access confidential information.

We've written up a guide to help you check whether your server is vulnerable and fix the issue. If you have any questions, please ask them in the comments section and we'll respond quickly.

You may check for Shellshock vulnerability by running the following command at the bash prompt:

env 'VAR=() { :;}; echo Bash is vulnerable!' 'FUNCTION()=() { :;}; echo Bash is vulnerable!' bash -c "echo Bash Test"

If you see the following output, your version of Bash is vulnerable and should be updated:


# FLAW at the Design Level of a

protocol-



# Goal of a hash function bits er many bits HASH FUNCTION hfewer bits 256 655

### Goal of a hash function: Collision resistance





### abhi18:neu abhi\$ echo "this is a message" | md5 1fb0076c4f2eaa1c788679154c51aa89

#### // Initialize variables:

var int a0 := 0x67452301 // A
var int b0 := 0xefcdab89 // B
var int c0 := 0x98badcfe // C
var int d0 := 0x10325476 // D

// Pre-processing: adding a single 1 bit

append "1" bit to message

// Notice: the input bytes are considered as bits strings,


// where the first bit is the most significant bit of the byte.<sup>[50]</sup>

#### // Pre-processing: padding with zeros

**append** "0" bit **until** message length in bits  $\equiv$  448 (mod 512) **append** original length in bits **mod** 2<sup>64</sup> **to** message

#### // Process the message in successive 512-bit chunks:

```
for each 512-bit chunk of padded message do
    break chunk into sixteen 32-bit words M[j], 0 ≤ j ≤ 15
    // Initialize hash value for this chunk:
    var int A := a0
    var int B := b0
    var int C := c0
    var int D := d0
    // Main loop:
    for i from 0 to 63 do
        var int F. g
        if 0 \le i \le 15 then
            F := (B and C) or ((not B) and D)
            g := i
        else if 16 \le i \le 31 then
            F := (D \text{ and } B) \text{ or } ((not D) \text{ and } C)
            q := (5 \times i + 1) \mod 16
        else if 32 \le i \le 47 then
            F := B xor C xor D
            q := (3 \times i + 5) \mod 16
        else if 48 \le i \le 63 then
            F := C \text{ xor } (B \text{ or } (not D))
            g := (7×i) mod 16
        // Be wary of the below definitions of a,b,c,d
        F := F + A + K[i] + M[g] // M[g] must be a 32-bits block
        A := D
        D := C
        C := B
        B := B + leftrotate(F, s[i])
    end for
    // Add this chunk's hash to result so far:
    a0 := a0 + A
    b0 := b0 + B
    c0 := c0 + C
    d0 := d0 + D
end for
```



# MD5 is broken

d131dd02c5e6eec4693d9a0698aff95c 2fcab58712467eab4004583eb8fb7f89 55ad340609f4b30283e488832571415a 085125e8f7cdc99fd91dbdf280373c5b d8823e3156348f5bae6dacd436c919c6 dd53e2b487da03fd02396306d248cda0 e99f33420f577ee8ce54b67080a80d1e c69821bcb6a8839396f9652b6ff72a70

d131dd02c5e6eec4693d9a0698aff95c 2fcab50712467eab4004583eb8fb7f89 55ad340609f4b30283e4888325f1415a 085125e8f7cdc99fd91dbd7280373c5b d8823e3156348f5bae6dacd436c919c6 dd53e23487da03fd02396306d248cda0 e99f33420f577ee8ce54b67080280d1e c69821bcb6a8839396f965ab6ff72a70

79054025255fb1a26e4bc422aef54eb4



All Images Videos News Maps Answer

Settings -

Q

#### 0800fc577294c34e0b28ad2839435945

MD5 hex hash: hash

md5 hash

All Regions 

Safe Search: Moderate 

Any Time

#### MD5 Hash Generator

#### https://www.md5hashgenerator.com

An MD5 hash is created by taking a string of an any length and encoding it into a 128-bit fingerprint. Encoding the same string using the MD5 algorithm will always result in the same 128-bit hash output. MD5 hashes are commonly used with smaller strings when storing passwords, credit card numbers or other sensitive data in databases such as the ...

#### MD5 - Wikipedia

#### W https://en.wikipedia.org/wiki/MD5

The MD5 message-digest algorithm is a widely used hash function producing a 128-bit hash value. Although MD5 was initially designed to be used as a cryptographic hash function, it has been found to suffer from extensive vulnerabilities. It can still be used as a checksum to verify data integrity, but only against unintentional corruption. It remains suitable for other non-cryptographic purposes ...

#### md5 Hash Generator - MiracleSalad

#### www.miraclesalad.com/webtools/md5.php


md5 Hash Generator. This simple tool computes the MD5 hash of a string. Also available: SHA-1 hash generator and SHA-256 hash generator. String: Treat multiple lines as separate strings (blank lines are ignored) Uppercase hash(es) Special note about line endings: Mac/Unix and Windows use different codes to separate lines.












#### Failures in abstraction: encryption



## Failures in abstraction: encryption

1990: Dwork-Naor introduce the notion of "non-malleability" for encryption

1 1998 Bleichenbachen barly formattel SSL wasnot erc. using of ernr message A2-sevure enc. scheme. Web Server

PKCS

#### **The ROBOT Attack**

#### Return Of Bleichenbacher's Oracle Threat

Hanno Böck, Juraj Somorovsky (Hackmanit GmbH, Ruhr-Universität Bochum), Craig Young (Tripwire VERT)

Full paper published at the Usenix Security conference.

An earlier version was published at the Cryptology ePrint Archive

#### News

We won a Pwnie award!

We gave presentations about ROBOT at various Infosec conferences:

ROBOT presentation at RuhrSec 2018 ROBOT presentation at BornHack 2018 ROBOT presentation at USENIX Security 2018

Further presentations were given at other conferences, for example, at Black Hat USA. We'll add links once recordings become available.

#### The Vulnerability

ROBOT is the return of a 19-year-old vulnerability that allows performing RSA decryption and signing operations with the private key of a TLS server.

In 1998, Daniel Bleichenbacher discovered that the error messages given by SSL servers for errors in the PKCS #1 v1.5 padding allowed an adaptive-chosen ciphertext attack; this attack fully breaks the confidentiality of TLS when used with RSA encryption.

## What is cybersecurity?


## Security mindset

Adversarial thinking









Projects

8


#### Due Fri 11.59.59pm

### Late days

- Auto-graded: due dates are suggestions, turn it in before we hand out solutions
- Written projects: no late days.
- Assignments are due at 11:59:59, no exceptions
- Except illness

#### Quizzes


- There will be 10 in-class quizzes throughout the semester
- Given on random days
- Roughly 10-15 minutes long
- Goals of the quizzes:
  - Make sure you are paying attention and understanding key concepts
  - To incentivize keeping up with class
- Non-goals:
  - Shredding your mind with super hard questions



## Participate!

1.47.2A





# Cheating policy

- Do not do it
  - Seriously, don't make me say it again
- Cheating is an automatic zero
  - Must be referred to the university for discipline and possible expulsion
- Project code and essays must be original
  - Written by you and you alone
    - Unless we give you starter code, obviously
  - If you have questions about an online resource, ask us
- Projects and essays must be done individually
  - Copying answers from other students is forbidden

## Ethics

- We will discuss sensitive topics in this class
  - Brazen criminal activity
  - Offensive hacking techniques
- The goal is to help you understand the capabilities and motivations of attackers
- Do not, under any circumstances, use these skills offensively
  - Run exploits on Khoury College machines
  - Use scanning or attack tools against public servers or websites
  - Infiltrate your roommates computer and spy on them
  - Etc.
- Failure to comply may result in expulsion and/or arrest

#### Style

- I am a crypto researcher
  - Things make sense to me that may not make sense to you
  - I talk fast if nobody stops me
- Solution: ask questions!
  - Seriously, ask questions
  - Standing up here in silence is very awkward
  - I will stand here until you answer my questions
- Help me learn your names
  - Say your name before each question

#### Project 0

- Released today
- Get your VM setup this weekend!
  - We'll use it in class next week for practice
- Due Friday, Sep 18
- Project questions?
  - Post them on Piazza!